

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	10	(compression or compressing) near5 (SYSLOG or SNMP or "network event" or (network adj log))	US-PGPUB; USPAT	OR	OFF	2011/03/16 14:39
L14	67	(compression or compressing) near5 (data adj structure) and "709"/\$4.ccls.	US-PGPUB; USPAT	OR	OFF	2011/03/16 14:43
L19	26	(digital adj signature) with (data adj structure) and "709"/\$4.ccls.	US-PGPUB; USPAT	OR	OFF	2011/03/16 15:01
L21	265	(digital adj signature) with (securi\$4 or authenticat\$4 or verif\$4) and "709"/\$4.ccls. and @ad<"20010101"	US-PGPUB; USPAT	OR	OFF	2011/03/16 15:03
L22	22	(creat\$4 or form\$4 or mak\$4 or calculat\$4) near3 (digital adj signature) with (securi\$4 or authenticat\$4 or verif\$4) and "709"/\$4.ccls. and @ad<"20010101"	US-PGPUB; USPAT	OR	OFF	2011/03/16 15:04
L23	2	(creat\$4 or form\$4 or mak\$4 or calculat\$4) near3 (digital adj signature) near3 (file or data or (data adj (set or base or structure))) with (securi\$4 or authenticat\$4 or verif\$4) and "709"/\$4.ccls. and @ad<"20010101"	US-PGPUB; USPAT	OR	OFF	2011/03/16 15:12
L24	9	(creat\$4 or form\$4 or mak\$4 or calculat\$4) near3 (digital adj signature) near3 (file or data or (data adj (set or base or structure))) same (securi\$4 or authenticat\$4 or verif\$4) and "709"/\$4.ccls. and @ad<"20010101"	US-PGPUB; USPAT	OR	OFF	2011/03/16 15:12
S5	14	Brady.in. and Johnson.in. and Stevens.in. and Volk.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:14
S6	7	"Network Intelligence Corporation".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:14

S13	220	@ad< "20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (SYSLOG or SNMP or NetFlow or TCP) near5 (notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:37
S14	30	@ad< "20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (SYSLOG or SNMP or NetFlow or TCP) near5 (notification) and (log\$5 near5 notification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:38
S15	128	@ad< "20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (log\$5 near5 network near5 activity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:40
S16	1	@ad< "20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (log\$5 near5 network near5 activity) and (log\$5 near5 IP adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:41
S17	8	@ad< "20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (log\$5 near5 network near5 activity) and (identify \$5 or log\$5) near5 (source or originator or sender) near5 (packet or data or activity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 10:42
S35	1581	@ad< "20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (data adj structure) near10 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:45
S36	1309	@ad< "20021203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (data adj structure) near10 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:45
S37	4	@ad< "20021203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (data adj structure) near3 "is" near3 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/15 12:45
S52	1881	(@ad< "20031203" or @rlad< "20031203") and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (data adj structure) near10 file	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:11
S53	6606	709/224.ccls. and (@ad< "20031203" or @rlad< "20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:11

S55	901	719/318.ccls. and (@ad< "20031203" or @rlad< "20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:12
S56	0	Brady.in. and Johnson.in. and Stevens.in. and Volk.in. and @pd> "20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:12
S57	0	"Network Intelligence Corporation".as. and @pd> "20080801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:12
S60	123	(data adj (set or structure)) with (log\$4 or save or saving or saved or storing or stored or store) and (index\$4 near5 IP adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:31
S61	816	726/22.ccls. and (@ad< "20031203" or @rlad< "20031203")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/23 13:47
S62	326	(719/318.ccls. or 709/224. ccls.) and (@ad< "20031203" or @rlad< "20031203") and @pd> "20090301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/10 11:42
S63	132	(data adj (set or structure)) with (log\$4 or save or saving or saved or storing or stored or store) and (index\$4 near5 IP adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/10 11:46
S69	0	Brady.in. and Johnson.in. and Stevens.in. and Volk.in. and @pd> "20090301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/10 12:06
S70	0	"Network Intelligence Corporation".as. and @pd> "20090301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/10 12:06
S75	0	(characterization adj record) and (transmission adj event) and (indicat\$4 near2 locat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/10 12:45

S81	30	(US-20050125807-\$ or US-20070011310-\$ or US-20070011308-\$ or US-20070011309-\$ or US-20070011307-\$ or US-20070011306-\$ or US-20070011305-\$ or US-20070143842-\$ or US-20060117091-\$ or US-20050188076-\$ or US-20030120593-\$ or US-20040205219-\$ or US-20030204586-\$ or US-20020046273-\$).did. or (US-7093292-\$ or US-7127743-\$ or US-7017185-\$ or US-5991881-\$ or US-5787253-\$ or US-7219239-\$ or US-7155460-\$ or US-6496858-\$ or US-5625814-\$ or US-5627886-\$ or US-6530024-\$ or US-6754214-\$ or US-6836894-\$ or US-6219708-\$ or US-7254636-\$ or US-6092080-\$).did.	US-PGPUB; USPAT	OR	ON	2009/08/10 15:12
S91	0	Brady.in. and Johnson.in. and Stevens.in. and Volk.in. and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 11:26
S92	4091	("Network Intelligence Corporation".as. or EMC.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 11:26
S93	3	@ad< "20031203" and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (SYSLOG or SNMP or NetFlow or TCP) near5 (notification) and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 11:27
S94	320	(719/318.ccls. or 709/224.ccls.) and (@ad< "20031203" or @rlad< "20031203") and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 11:27
S95	39	726/22.ccls. and (@ad< "20031203" or @rlad< "20031203") and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 11:27

S96	136	(data adj (set or structure)) with (log\$4 or save or saving or saved or storing or stored or store) and (index\$4 near5 IP adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 11:28
S97	0	(@ad< "20021203" or @rlad< "20021203") and ("709"/\$3.ccls. or "719"/\$3.ccls.) and (data adj structure) near3 "is" near3 file and @pd> "20090801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:14
S98	0	"Network Intelligence Corporation".as. and @pd> "20100106"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:11
S99	740	(719/318.ccls. or 709/224.ccls.) and (@ad< "20031203" or @rlad< "20031203") and @pd> "20100106"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:12
S100	155	726/22.ccls. and (@ad< "20031203" or @rlad< "20031203") and @pd> "20100106"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:12
S101	14	Brady.in. and Johnson.in. and Stevens.in. and Volk.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:12
S102	168	collect\$4 with ((network adj event) or (SNMP adj (message or alert)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/15 14:16
S103	53	collect\$4 with ((network adj event) or (SNMP adj (message or alert))) and ((index or location or site or storage or stored) with ((network adj event) or (SNMP adj (message or alert))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/15 14:17
S106	563	(@ad< "20031203" or @rlad< "20031203") and ("709"/\$3.ccls. or "719"/\$3.ccls. or 726/22.ccls.) and (SYSLOG or SNMP or NetFlow or TCP) near5 (notification or event) and ((sav\$4 or stor\$4 or archiv\$4 or log\$5) near5 (notification or event))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:23

S108	259	S106 and ((data or notification or event) near5 (index or location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:24
S109	6	S106 and ((data or notification or event) near5 ((creat\$4 near2 index) or indexing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:36
S110	35	S106 and (distribut\$4 adj (storage or database or storing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/03/15 14:38
S113	8	US-6985944-\$.DID. OR US-6941348-\$.DID. OR US-7590747-\$.DID. OR US-20050015461-\$.DID. OR US-0484203-\$.DID. OR US-2704311-\$.DID. OR US-7869199-\$.DID. or "6484203".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2011/03/15 14:46
S114	129	("5539659" "5706210" "5922051" "5974237" "5974457" "5991881" "6396845").PN. OR ("6484203").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/03/15 15:33
S115	72	S114 and (hierarchy or parent or child or master)	US-PGPUB; USPAT; USOCR	OR	OFF	2011/03/15 15:39
S117	208	(monitor\$4 with distribut\$4 near3 (node or site or system)) and (correlat\$4 near5 (event or alarm or traffic))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/03/15 17:38
S118	79	(monitor\$4 with distribut\$4 near3 (node or site or system)) and (correlat\$4 near5 (event or alarm or traffic)) and ((shar\$4 or send \$4 or aggregat\$4) near5 (report or event or alarm or record or log))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/03/15 17:51
S119	122	(correlat\$4 near4 (alarm or event)) same (distributed near2 (system or node or computing))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/03/15 18:02

S123	266	("709"/\$4.ccls. or "726"/\$4.ccls. or "719"/\$4.ccls.) and (monitor\$4 near2 (agent or node or site)) and ((correlat\$4 or aggregat\$4) near5 (event or alarm or activity or report or log)) and ((distributed or hierarch\$4 or hierarchical) near3 (system or analysis or analyz\$4 or report\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/03/15 18:10
S124	23	("709"/\$4.ccls. or "726"/\$4.ccls. or "719"/\$4.ccls.) and (monitor\$4 near2 (agent or node or site)) same ((correlat\$4 or aggregat\$4) near5 (event or alarm or activity or report or log)) and ((distributed or hierarch\$4 or hierarchical) near3 (system or analysis or analyz\$4 or report\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2011/03/15 18:10
S126	982	index with (offset near5 (byte or character or record or rlog))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 09:50
S134	1020	((network adj (activity or event) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) and ((record or event or message) with (index or location or located))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 09:53
S135	438	((network adj (activity or event) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) and ((record or event or message) near3 (index or location or located))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 09:53
S136	375	((network adj (activity or event) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) and ((record or event or message) with (index or location or located)) and "709"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 09:54

S137	48	((network adj (activity or event) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) same ((record or event or message) with (index or location or located)) and "709"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 09:54
S138	25	((network adj (activity or event) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) same ((record or event or message or log or database) near3 (index or location or located)) and "709"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 09:55
S139	24	S138 and (summary or index or pointer or raw or unabridged or summarized)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:00
S140	63	((network adj (activity or event) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) same ((record or event or message or log or database) near3 (index or location or located))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:03
S141	8	S136 and (summary or index or pointer or raw or unabridged or summarized) near5 (stored or storage or saved or database) near3 (location or located or address or identity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:04
S142	25	((network adj (activity or event)) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) same ((record or event or message or log or database) near3 (index or location or located)) and "709"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:11

S143	226	((network adj (activity or event)) or SYSLOG or SNMP or NetFlow) with (history or log or logging or database or record or recording)) and ((full or complete or raw or unabridged) near3 (location or located or address or stored))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:12
S144	405	((index or summary) near5 (database) near5 (shar\$4 or send\$4 or synchroniz\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:19
S146	26	((index or summary) near5 (database) near5 (shar\$4 or send\$4 or synchroniz\$4)) and ((location or located or address) near5 (raw or full or requested) near5 (file or data or information or record))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:19
S147	18	(distributed adj database near2 index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:22
S148	280	(distributed adj database) and (index near5 (log or record or event or data) near5 (location or located or stored))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:24
S149	56	(distributed adj database) and (index near5 (log or record or event or data) near5 (location or located or stored)) and ((shar\$4 or distribut\$4 or synchroniz\$4 or broadcast\$4 or multicast\$4) near5 (index or summary or summariz\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:25
S150	2	"7263567".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:28
S151	2	"7263576".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/03/16 10:28

3/ 16/ 2011 3:47:04 PM

C:\Documents and Settings\jmacilwinen\My Documents\EAST\Workspaces\727193.wsp